

Product Data Sheet



LKDB-PUA 50G

EAN 4047526118983

ID 759284

Synthetic twin wheel swivel castor, Wheel with thermoplastic polyurethane tread, with nylon wheel centre

Bracket:

Made of high-quality, impact-resistant nylon, with high-quality synthetic plain bore in the swivel head, with zinc-plated steel threaded pin.

Wheels:

Made of high-quality thermoplastic polyurethane, low-noise operation, low rolling and swivelling resistance, good floor preservation, very high abrasion resistance.

Tread colours: black

Wheel centre/rim: Made of high-quality, impact-resistant nylon.












Wheel centre colour: black



Product Data Sheet



Technical data

Wheel Ø		50 mm (D)
Total width castor		51 mm
Wheel width		2 x 12 mm (T2)
Load capacity		50 kg
Total height		61 mm (H)
Threaded pin		M8 x 15 mm
Offset swivel castor		20 mm
unit weight		0,1 kg
Temperature resistance to		-30 ° C
Temperature resistance to		70 ° C
tread and tyre hardness		92° Shore A
Bearing type		Plain bore

Product Data Sheet



Variants



LKDB-PUA 50G-RA

Synthetic twin wheel swivel castor with 'Radstop' wheel brake, Wheel with thermoplastic polyurethane tread, with nylon wheel centre



LKDB-PUA 50G-P20

Synthetic twin swivel castor mit top plate fitting, Wheel with thermoplastic polyurethane tread, with nylon wheel centre



LKDB-PUA 50G-RA-P20

Synthetic twin wheel swivel castor with wheel brake 'Radstop' and plate, Wheel with thermoplastic polyurethane tread, with nylon wheel centre



LKDB-PUA 50G-ELS

Synthetic twin wheel swivel castor, Wheel with thermoplastic polyurethane tread, with nylon wheel centre



LKDB-PUA 50G-ES

Synthetic twin swivel castor with plug-in pin, Wheel with thermoplastic polyurethane tread, with nylon wheel centre



LKDB-PUA 50G-RA-ELS

Synthetic twin wheel swivel castor with 'Radstop' wheel brake, Wheel with thermoplastic polyurethane tread, with nylon wheel centre



LKDB-PUA 50G-ELS-ES

Synthetic twin swivel castor with plug-in pin, Wheel with thermoplastic polyurethane tread, with nylon wheel centre



LKDB-PUA 50G-ELS-P20

Synthetic twin swivel castor mit top plate fitting, Wheel with thermoplastic polyurethane tread, with nylon wheel centre



LKDB-PUA 50G-RA-ES

Synthetic twin wheel swivel castor with 'Radstop' wheel brake, Wheel with thermoplastic polyurethane tread, with nylon wheel centre



LKDB-PUA 50G-RA-ELS-ES

Synthetic twin wheel swivel castor with 'Radstop' wheel brake, Wheel with thermoplastic polyurethane tread, with nylon wheel centre

Product Data Sheet



Variants



LKDB-PUA 50G-RA-ELS-P20

Synthetic twin wheel swivel castor with wheel brake 'Radstop' and plate, Wheel with thermoplastic polyurethane tread, with nylon wheel centre